
*Items in **bold type** indicate a definition of the term is given*

- 4 Rs 300
- 500°C Isotherm Method 83
- A**
- absorptivity 117
- acceptable performance 15
- acceptable solution** 2, 3
- Accessory Fuel Moisture System 296
- Accident Rehabilitation and Compensation Insurance Act 7
- accidental ignition 26
- activation time 49
- advanced calculation methods 88
- aerosol** 26, **129**, 134
- air
 - changes per hour 175
 - conditioning 110, 127, 184
 - handling 206
 - leakage 194
- Alarm Verification Facility (AVF) 49
- ALARP 20
- alerting devices 127
- alternative designs 2
- alternative solutions 3
- analogue addressable** 139, **140**, 212
- antifreeze systems** **154**, 160
- apartment buildings 269
- applied loads 62
- argon 163
- AS 1530 65, 66, 102
- AS 1603 133, 137, 139
- AS 1670 128, 129, 133, 137, 139, 169, 207, 271
- AS 1720 88
- AS 1851 128, 166, 214, 318
- AS 2118 145, 154, 207, 260, 264
- AS 2419 162, 258, 260
- AS 2441 166
- AS 3786 137, 271
- AS 4100 75
- AS 4214 163
- AS 4428 128, 169, 203
- AS 60849 169
- AS 7240 128, 133, 139
- AS/NZS 1170 69
- AS/NZS 1221 161
- AS/NZS 1668 183, 203
- AS/NZS 4360 19, 22
- asphyxia 225
- aspirating smoke detector** 131, **135**
- ASTM E119 66
- atrium 135, 136, 140, 144
- attic sprinklers 153
- Australian Building Codes Board (ABCB) 314
- Australian Fire Brigade Acts 248
- Australian/New Zealand Standards 329
- Authority Having Jurisdiction (AHJ) 160, 257
- automatic door closers 275
- Available Safe Egress Time (ASET) 107
- axial restraint 83
- B**
- back burning 301
- backdraft 34
- backfire 291
- backup power 207
- ball-bearing model 239
- barometric dampers 199
- battery powered alarms 136, 271
- Bernoulli's equation 54
- blankets 270
- BLEVE (Boiling Liquid Expanding Vapour Explosion) 156

- boundaries 116
- boundary layer width 224
- boundary walls 61
- BRANZ 67
- BRANZFIRE 237
- BS 3251 250
- BS 476 66
- BS 5839 129
- building
 - characteristics 12
 - control system 2
 - design consideration 5
 - facade 112
 - management system (BMS) 141, 210
 - regulations 2
 - services 103
 - surveyors 314, 316
- Building Act 2, 321-324
- Building Code of Australia 3
- Building Consent Authority 3, 202
- Building Industry Authority 2, 326
- Building Warrant of Fitness 5, 26
- BuildingEXODUS 240
- Buildup Index 297
- buoyancy 174, 237
- burning
 - objects 43
 - rate 107, 114, 237
- bushfires 281, 315

- C**
- Canadian Forest Fire Danger Rating System 297
- carbon dioxide 32, 129, 162, 163, 227, 290
- carbon monoxide 32, 35, 129, 225
- carpets 274
- CCFM code 242
- ceiling voids 103
- cellulose 290
- Certificate of Occupancy 319
- Certified Building Surveyor 10
- Certified Coating Inspector 79
- CESARE-RISK 240
- CFAST 237
- chain of fire suppression 301
- chain reaction 29
- charring 62, 89, 303
- chemical agents 163
- Chief Fire Officer 248, 265
- Civil Defence and Emergency Management Act 299
- cladding materials 113
- code compliance 161
- combustion 29, 30
 - factor 55
 - products 38, 48
- communication and consultation 22
- compartment 34, 36, 53, 101, 185
- complete burnout 39, 57, 104
- compliance 2
- Compliance Document 3, 4, 54, 59, 70, 326
- Compliance Schedule** (New Zealand) 5, 202, 205, 208
- compressive forces 62, 63, 64, 72
- Computational Fluid Dynamics (CFD) models 237
- computer modelling 9, 17, 31, 37, 41, 48, 235
- concealed
 - spaces 53, 102, 109, 111
 - sprinklers 150
- conduction 16, 29, 69
- conductivity factor (C factor) 148
- configuration factor 117
- conflagrations 122
- constant burning 45
- construction 2, 17
 - materials - conversion factor 58
- control mode specific application (CSMA) 151
- control versus suppression 149
- convection 16, 29, 69, 226, 291
- conventional fire detection 140
- cooking 270
- cool lower layer 237

- cooling
 - efficiency 254
 - power of water 254
- Coordinated Incident Management System (CIMS) 302
- corridor sprinklers 153
- corrosion 256, 260
- cotton 274
- CRISP 240
- crown fire 292, 293, 295
- crystallisation 92
- CSIRO 67, 93
- cumulative radiant energy 95
- curtains 274

- D**
- D1/AS1 222
- damage to buildings, minimising 14
- dampers 203, 207
- Darcy-Weisbach method 159
- dead load 61, 69
- decay stage 38
- Deemed-to-Satisfy 4, 315
- defensible space 304
- deflections 62
- deluge systems 155
- Department of Conservation 299
- design
 - density 159
 - documentation** 8
 - fire load 53
 - fires** 38, 41, 46, 178, 236
- detection
 - system 155
 - time lag 178
 - zones 127
- detector activation 43
- deterministic models 236
- DIANA 238
- diffusion 130
- Disability Discrimination Act (DDA) 314
- disabled people 197
- discharge coefficient 153
- distribution patterns 149
- domestic
 - smoke alarms 136, 270
 - sprinkler systems 159
- doors 17, 110, 197, 275
 - opening forces 197
- drencher systems** 115, **156**
- Drought Code (DC) 297
- dry
 - chemical system 165
 - pipe sprinkler 154
 - powder 165, 166
 - sprinklers 152
- drywall systems 92, 95
- duct smoke detector housings 139
- dust explosion 24-25

- E**
- Early Fire Hazard Test 102
- Early Suppression Fast Response (ESFR) sprinklers 151
- earthquake 17, 256, 259, 321
- education 300
- effective openings 60
- egress 13
- egress design 229
- electrical flush boxes 109
- ember transport 291
- Emergency Control Panels (ECPs) 167
- Emergency Intercommunication 168
- emergency lighting 5, 206, 207
- emergency power supply 214
- Emergency Warning and Intercommunication System (EWIS)** 166, 228
- emissivity 95, 115, 117, 118
- EN 12106* 197, 200
- EN 54-11* 137
- entrained air 33, 175, 237
- entrainment 33, 174, 176
- equivalent
 - fire severity 57, 65
 - time of fire exposure 57
- erythema 226

- escape
 - plan 277
 - routes 13, 218, 221, 277
- Essential Services Legislation (Australia) 6, 209
- Eurocode 1 59, 96
- Eurocode 3 70, 74
- Eurocode 5 89
- EVACNET 240
- evacuation 127
- event trees 23, 24
- exit
 - routes 137
 - widths 221
- EXIT89 240
- EXITT 240
- expansion ratio of water 255
- extended coverage sprinklers** 131, **151**
- exterior windows 111, 113
- extra light hazard 158
- F**
- F7/AS1 137
- fabric flammability 277
- facade 113, 119
 - factor 119
- Factory Mutual Standards 7
- failure modes 17
- Failure Modes and Effects Analysis (FMEA) 23
- false activation 127, 140, 141, 142, 212, 222
- fans 183, 207
- Fast fires 43, 45, 46, 49, 131
- Fast Response sprinkler 49, 131, 149
- fatalities 269
- fault tree analysis 23, 24, 26, 27
- fibreboard 34, 275
- field models** 236, **237**
- Fine Fuel Moisture Code (FFMC) 297
- finite element analysis 69, 238
- fire
 - alarm 5, 128
 - appliances 248
 - attack 251, 255
 - behaviour 289
 - blankets 273
 - control 253
 - dampers 110
 - decay 29
 - detection systems 24, 127
 - development 29, 30
 - districts 260
 - door 5, 67
 - duration 54
 - engineering brief (FEB) 15, 330
 - engineering design 1, 2
 - environment 286
 - environment triangle 287
 - exposure 39
 - extinguishers 165, 273
 - growth 12, 17, 41
 - growth models** 235, **237**
 - growth stage** 32, 33
 - hazard 158
 - hose reels 5, 166, 254, 260, 265, 273
 - hydrant 258, 248, 258
 - initiation** 30
 - intensity 281
 - intensity coefficient 45
 - investigation 1
 - load 17, 41, 53
 - management 281, 299
 - model 68
 - protection features 7, 11
 - recovery 302
 - resistance** 38, 39, 53, **64**, 276
 - resistance level 64
 - resistance rating** **64**, 103, 251
 - resistance test 42
 - resisting construction 7
 - retardant 274
 - risk 257
 - safety education 276
 - sealing 7
 - separations 104, 108
 - service 120

- service access 2486
- service inlet 259
- service operations 14, 247
- severity 53, 57**
- spread 13, 48, 101, 116, 122
- suppression 298
- suppression operations 248
- temperatures 54
- tests, large-scale 15
- triangle 29**
- Fire Behaviour Prediction (FBP) 296
- Fire Brigade Acts (Australia) 3, 314
- Fire Danger Rating System 295
- Fire Dynamics Simulator (FDS) 242
- Fire Fan Control Panel (FFCP) 203
- Fire Hazard Categories 54
- Fire Occurrence Prediction System 296
- Fire Officer's Committee 145
- Fire Safety and Evacuation of Building Regulations 6
- Fire Service Act 1975 249, 260, 266
- FIRE SIMULATOR 237
- Fire Weather Index (FWI) 296
- firebrands 291
- firebreak 124, 295, 301
- FIRECAM 240, 277
- firecells 35, 53, 101**
- fireline intensity 293, 295**
- first-aid fire fighting 124, 222
- flame
 - detectors 137, 209**
 - height 114, 289, 294
 - length 289, 294
 - production 29
 - spread 32, 43, 241
 - tip 114
- flaming combustion 32, 33**
- flaming fires 137
- flammable
 - gases 327
 - liquid 30, 31, 32, 156, 157, 327
 - vapour 30, 32
- flank fire 291
- flashover 32, 33, 34, 35, 41, 178, 252**
- flexural capacity 83
- floor access 252
- flying brands 116, 122
- foam 156, 160
- Forest and Rural Fires Act 298
- forest fires 281, 282
- FPETool 237
- Fractional Effective Dose (FED) 227, 241
- frangible bulb 147
- free burning 48
- fuel
 - controlled 33
 - load 289
 - load energy density 54, 59, 274
- fully-developed fire 35-36, 39
- furniture 269, 273, 277
 - heat release rates 44, 47
- fusible link 147
- G**
- gas 129
 - detector 131, 138
 - flood systems 157, 162
- gaseous phase 290
- gasoline 118
- generic listings 69
- GIS models 124
- glass fracture 241
- glazing 118
- glue laminated timber (glulam) 89
- growth constant 43
- gypsum 275
- H**
- Halon 1211 166
- hand calculations 48
- hazard classification 158, 178
- hazardous substances 327
- Hazardous Substances and New Organisms Act 267
- Hazen Williams formula 159, 264

- HAZOP 23
- HB 436 19
- HB 4525 22
- head fire 291
- heat
 - detectors 31, 33, 49, 131
 - of combustion 41, 47, 54, 293
 - release rate 32
 - transfer 29, 68
- heating, ventilation and air conditioning (HVAC) 184, 207
- heavy timber 89
- high expansion foam 157
- high rise buildings 164
- High Sensitivity Smoke Detector 135
- high velocity water spray 156
- hospitals 223
- hostels 269
- hot upper layer 33, 48, 237
- hotels 269
- human senses 130
- HVAC *see heating, ventilation and air conditioning*
- hydrant mains systems 162
- hydrogen chloride 228
- hydrogen cyanide 227
- hyperthermia 226
- I**
 - ignition 12, 30
 - energy 290
 - incapacitation 225
 - incipient phase 31
 - Independent Qualified Person (IQP) 5
 - INERGEN 163
 - inert agents 163
 - infrared (IR) 137
 - Initial Spread Index (ISI) 297
 - injuries 269
 - insects 144
 - insulation** 66, 77
 - insurance 6, 26, 281, 263, 316, 318
 - Insurance Council of New Zealand (ICONZ) 160
- integrity 66
- interfaces 205
- interior finishes 101, 102
- internal partitions 103
- International Fire Engineering Guidelines (IFEG) 9, 329
- intervention 247
- intumescent paint 78
- ionisation chamber 134, 143, 270
- irritant gases 226, 225, 228
- ISO 1716 41
- ISO 31000 26
- ISO 7240 140
- ISO 8201 169
- ISO 834 66
- ISO 9705 102
- J**
 - JASMINE 238
 - JET model 242
- K**
 - kerosene 118
 - Kobe earthquake 17, 123
 - k-ε method 238
- L**
 - ladders 276
 - Large Eddy Simulation 238
 - lateral buckling 63
 - legislation 2, 247
 - life safety 1, 16, 32, 38, 41, 50, 159, 176, 205
 - lift shafts 111, 179
 - light gauge steel 77
 - light timber frame 276
 - lightning 282, 285, 301
 - limiting
 - steel temperature 73
 - temperature 65
 - linear beam (obscuration) detectors 135
 - linear heat sensing (LHS) detector 131
 - linings 275
 - liquid fuels 42

live load 69
 load carrying capacity 72
 load ratio 63
 lobbies 112, 199, 200
 Local Government Act 299
 Loss Prevention Council (LPC) 145, 150
 low expansion foam 157

M

maintenance, alarms 271
 malicious 285
manual call points 127, **137**, 210
marine cargo 6
 mastic 110
 means of escape 5, 276
 Measuring Ionisation Chamber (MIC) 134
 mechanical systems 173
 medium expansion foam 157
 Medium fires 43, 45-46, 131
 metal fasteners 90
 mineral fibre spray 81
 mitigation measures 123
 modulus of elasticity 63
 moisture content 41, 77, 89, 92, 226, 288
 moment restraint 74
MP9 69
multi-sensor detectors **139**, 140
 multi-storey buildings 60, 72, 111, 179, 228, 264

N

narcotic gases 227
 National Commander 248, 267
 National Fire Protection Association
see NFPA
 National Research Council 175
 National Rural Fire Authority 283, 299
 neutral plane 36, 180
 New Zealand
 Building Code (NZBC) 2, 131, 205, 325

Compliance Document 65
 Fire Service (NZFS) 2, 142, 248, 249, 269
 Fire Service Commission 248, 266, 299
 Forest Service 299
 NFPA 129, 145, 157
NFPA 12 164
NFPA 13 264, 273
NFPA 15 145, 155
NFPA 17 164, 165
NFPA 2001 163
NFPA 204 43
NFPA 24 266
NFPA 409 155
NFPA 92A 214
 NFPA Standards 7
 nitrogen 154, 163
NZS 3404 71, 72, 75
NZS 3603 88
NZS 3604 93
NZS 4404 262
NZS 4501 250
NZS 4503 166, 260
NZS 4510 162, 258, 260, 264
NZS 4512 49, 133, 207
NZS 4514 137, 271
NZS 4515 103, 145, 159, 260, 264
NZS 4517 145, 159
NZS 4541 7, 103, 123, 145, 146, 154, 207, 260, 263, 264
NZS/BS 750 250

O

obscuration 133, 135
 occupant
 behaviour 217
 characteristics 12, 219
 density 219, 223
 load 219
 Occupational Health and Safety (OH&S) 314
 on-off sprinklers 152
 optical density 227

optimisation models 239
ordinary hazard 158
Ordinary Hazard Group 3 157
orifice 147, 153
owner's requirements 4
oxygen 29, 32, 174, 227, 290
Ozone Layer Protection Act 164

P

partitions 103
passive fire protection 77, 78
peak
 burning rates 236
 heat release rate 46
peer review 9
penetrations and closures 108, 109
performance requirements 2, 8, 15
performance-based fire engineering 2
Period of Structural Adequacy 75
photoelectric smoke detectors 133, 136, 270
photoluminescent 206
piloted ignition 30
place of safety 193
plastics 274
plenum 103, 150
plug-holing 183, 241
plume 33, 129, 154, 174, 176, 177, 237
plywood 275
point smoke detector 131
pool fires 37, 42
post-flashover 32, 53, 236
power failure 123
pre-action sprinklers 155
pre-alarm 141
pre-alert 143
pre-attack plan 301
pre-evacuation 222
pre-flashover 32, 41, 236
preheating phase 290
pre-movement 222
preparedness planning 298
prescriptive codes 2

pressure
 coefficient 181
 zones 262
pressurisation 189, 206, 207, 241
presuppression preparedness 300
Principal Certifying Authority (PCA) 317
probabilistic models 236
professional liability 7, 24
progressive evacuation 167, 206, 228
proprietary approvals 69
public address (PA) 168
pyrolysis 31, 32, 35

Q

quantifying performance 4
queuing time 218
Quick Response 149

R

radiation 16, 30, 31, 34, 38, 69
 reduction factor 117, 120
rate of burning 41
rate of fire development 16
reasonably practicable 20
recessed sprinklers 150
redundancy 205, 255
Regional Commanders 250
relative humidity 287
reliability 210, 255, 263
residential
 buildings 146
 smoke alarms 136
 sprinklers 151, 272
Resource Management Act 299
response time 136
Response Time Index (RTI) 147
reticulated mains 261
review process 24
risk
 assessment 4, 15, 23
 criteria 22, 23
 evaluation 24

- exposure 7
- management** 19, 20, 21, 26
- naming** 22
- tolerance 20
- runoff 255, 267
- Rural Fire Authorities 298
- Rural Fire District 299
- rural fires 281, 285
- Rural-Urban Interface (RUI)** 282, 303
- S**
- safety 4, 17
 - margin 218
- SAFIR 238
- salvage 303
- scrub fires 281
- search and rescue 252
- search zone 127
- seawater 256
- section factor** 74, 75
- security 206, 207, 277
- seismic resisting 74
- self-contained breathing apparatus 252
- sensitivity analysis 219, 236, 255
- service ducts and shafts 111
- setback distances 295
- signage 206, 221, 227
- Simulex 240
- simultaneous fires 212
- single family homes 269
- single-storey buildings 60, 71
- skin 295
- slab panel method 73
- sleeping 31, 219, 276
 - accommodation 120, 138, 142, 249, 263
- slope steepness 288
- Slow fires 43, 45, 46
- smoke 31, 32, 130
 - clearance systems 182
 - constituents 174
 - control 173, 206
 - damage 157
 - density 49
 - detection 49, 111, 131
 - detector 209
 - discharge 181
 - exhaust 175
 - extraction 127, 175
 - formation 174
 - management 141
 - production 16
 - purging 176
 - reservoirs 182
 - spread, control 12
 - ventilators 183
 - volume 176
- smoke-logged 270
- smoke-stop door 127
- SmokeView 243
- smoking 270
- smouldering combustion** 31, 33
- SNZ PAS 4509 249, 254
- social science model 238
- solid
 - fuels 42, 177
 - phase 290
- soot 174, 227, 240
- sounder 270
- spalling 62
- specific fire engineering design, flow chart 11
- specific
 - flow 223
 - heat 58, 77, 238
- spontaneous ignition** 30, 31, 285
- spotting 289, 291, 295
- Spread of Flame Index 102
- sprinkler identification numbers 147
- Sprinkler System Certifier 158, 161
- sprinklers 5, 31, 33, 38, 39, 49, 104, 146, 150, 156, 209, 254
 - domestic 159, 272
 - system failures 161
 - types 154-172

stability 66
stack effect 180
stairwells 113, 179
standard
 fire 121, 139
 furnace test 105
 response sprinkler 131
 test fire 64, 65, 66
statutory requirements 256
steady burning phase 46
steam 253
steel beams 71
Stefan-Boltzmann constant 117
stickability 78
stratified smoke detection 144
structural
 collapse 14, 53, 276
 design 61
 model 69
 performance in fire 61
 stability 35
Subdivision and Development Principles and Requirements (SDPR) 262
subsurface fire 291
suppression
 mode sprinklers 151
 systems 24, 127, 141
 time lag 178
suspended floor/beam systems 62

T
tall buildings 258
temperature rise 16
tenability 225
tension membrane concept 73
Territorial Authorities 250, 299
thermal
 conductivity 58, 76, 238
 decomposition 31
 detectors 131
 diffusivity 238
 expansion 62, 238
 gradients 238

 inertia 77, 96, 275
 properties 35, 68
 radiation 241
Thomas's flashover correlation 56
timber structures 88
time-temperature curve 35, 54
topography 288
toxic products 16, 31, 129, 174, 228, 241, 270, 275
transformers 157
transport time 178
travel
 distance 137
 speeds 219
 time 218, 301
t-squared 43
turbulent flow 238
two-layer model 33
two-stage pressurisation 199
Type 1 alarms 136, 271
Type 5 systems 142
Type 7 systems 142
Type 8 systems 169, 228
Type A building 328
Type B building 328
Type C building 328
Type D building 328

U

Underwriters Laboratories (UL) 150
Ultra fast fires 43, 45, 46
ultraviolet (UV) 129, 138
unprotected steel 70
upholstered furniture 46, 273

V

vapour 129, 134, 174
vegetation fires 281
vehicle exhaust 144
VENTCF2A code 242
ventilation 35
 controlled 33
 factor 58

verification method 3
Vermiculite board 81
VESDA (Very Early Smoke Detecting
Apparatus) 136
video smoke and fire detection 140
visibility 49, 173, 179, 203, 226, 227

W

waking effectiveness of alarms 272
Warden Intercommunication Point 168
warehouse 35, 60
Warrington Fire Research 67, 93
water
 flow switches 139
 mist systems 157
 reservoirs 259, 261
 spray systems 254
 storage 257, 263
 supplies 248, 249, 253, 256, 304
 supply failure 123

Water Supplies Protection Regulations
 267
weather 282, 286, 287
wet
 chemical system 164
 pipe sprinkler 154
wildland fires 281
wind 64, 122, 181, 201, 287, 292, 303
window sprinklers 153
Winstone Wallboards 70, 78, 93, 110
wood 56, 88, 274, 275, 303
 cribs 34, 36, 37
wool 42, 274

Y

yield strength 63

Z

zone models 236, **237**

